

Nex-T

Nex-T S21

Scanner 1D/2D CMOS Barcode



Retail



Warehouse



Logistics



Healthcare



a5@active5.co.th



02-1207281



www.active5.co.th



Active 5

Nex-T

Nex-T S21

Scanner 1D/2D CMOS Barcode

Specification




Symbologies	1D/2D
Image Sensor	CMOS
Pixel	640*480 [GS]
Resolution	≥5mil
FOV	Horizontal: 40 °, Vertical: 30 °
DOF	5mil Code39: 20mm-170mm 13mil EAN: 30mm-350mm6.7mil PDF417: 25mm-150mm 10mil DM: 15mm-120mm20mil QR: 15mm-210mm
Interface	USB
ESD	±15 kV Air Discharge, ±8 kV Direct Discharge
IP Rating	IP42
Drop	1.5m
Certifications	CE/FCC/RoHS
Dimension(mm)	93(L)*66(W)*166(H)
Weight	138g




Nex-T

Nex-T S21


Scanner 1D/2D CMOS Barcode



Perfect decoding



Long DOF



Fast scanning



Multi-language



Drop resistance



Compatible with multiple systems



Highly Versatile

Extended Depth of Field:

Scans out-of-reach items with ease and allows users to scan bar codes from as far as 15.7 inches (400 mm) and reads high density barcodes as small as 3 mil.

400mm



a5@active5.co.th



02-1207281



www.active5.co.th



Active 5