

Nex-T

Nex-T S22

Bluetooth Scanner Barcode



Windows



iOS



Android



Linux



Mac OS



PC



Laptop



Tablet



Mobile phone



POS



a5@active5.co



02-1207281



www.active5.co



Active 5

Nex-T

Nex-T S22

Bluetooth Scanner Barcode


Specification

Symbologies	1D/2D
Image Sensor	CMOS
Pixel	640*480 [GS]
Resolution	≥3mil
FOV	Horizontal: 40 °, Vertical: 30 °
DOF	5mil Code39: 20mm-170mm 13mil EAN: 30mm-350mm6.7mil PDF417: 25mm-150mm 10mil DM: 15mm-120mm20mil QR: 15mm-210mm
Interface	USB/Bluetooth
Radio Technology	Bluetooth 5.0
Communication Distance	100m (in open space)
Memory Capacity	capable of storing the data of over 100,000 EAN-13 barcodes
Battery	2600mAh lithium-ion battery
Expected Battery Life	≥12 hours(scan once per 1 seconds)
Expected Charge Time	≤6 hours (with power adapter)
Charge Interface	USB Type-C/Charging Cradle
ESD	±15 kV Air Discharge, ±8 kV Direct Discharge
IP Rating	IP42
Drop	1.5m
Certifications	CE/FCC/RoHS
Dimension(mm)	93(L)*66(W)*166(H)
Weight	171g



Nex-T Nex-T S22

Bluetooth Scanner Barcode



Perfect decoding



Long DOF



Fast scanning



Multi-language



Drop resistance



Compatible with
multiple systems



Highly Versatile

Extended Depth of Field:

Scans out-of-reach items with ease and allows users to scan bar codes from as far as 15.7 inches (400 mm) and reads high density barcodes as small as 3 mil.

400mm



NE>



a5@active5.co



02-1207281



www.active5.co



Active 5